

Demystifying Dementia & Delirium in the Rural Community

Christine Marra and Karen Griffin
October 2016



Rural Communities in Waikato Region

- Authentic Partnerships
- Collaboration partner agencies and community
- Sharing of knowledge
- Partnership approach strengthen collective efforts





Assessment - Is It Dementia?

Dementia is the umbrella term to describe a syndrome of cognitive loss sufficient to impair a person's ability to function as usual.

- Eliminate secondary causes
- Medication

Dementia is NOT a normal part of aging



Acute Change – Is It Delirium?


Delirium is a RED flag

- Acute delirium is suggested by a short history (less than two weeks) in the first instance.
- It is important to note that a person can suffer from chronic delirium (up to 12 months or more).

The confusion assessment method (<u>CAM</u>) assessment tool is used to assess for Delirium



Cognitive Impairment





Outcomes

- ↓ Hospital Admissions for Delirium
- If admission required CAM tool has often been completed
- † Skill of workforce
- Standardising assessment

Communities are already leading the way -

Cognitive testing | Driving

Prison Population



Resources for Primary and Secondary Services

- Email
- Access to Clinical Supervision
- Provision of post graduate education to Doctors, e.g. competency assessment
- We will 'walk' assessors through the process
- Delirium Book | Ko Awatea





We Don't Work Alone

- OPR | MHSOP | Memory Service Integrated Filtering of referrals
- Alzheimer's
- Community Pharmacist
- Now sharing this education with Taranaki and Tairawhiti





Summary

Stronger Together - Kotahitanga



References

- Waikato District Health Board Strategy Healthy People Excellent Care, July 2016
- Professor Stephen Iliffe. Professor of Primary Care, University College London. 2014





Want to find out more

Delirium resources

http://waikatodhb-ebooks.co.nz/delirium/index.html

Ko Awatea

https://koawatealearn.co.nz/course/view.php?id=135
 9#section-2

