



THE FLAT

TAKING CARE OF OUR RANGATAHI ON 5 NORTH



'Last Riot' (2007) Russian artist collective called AES+F

Types of cancer affecting our rangatahi



Māori and Non-Māori

- How many are diagnosed in Aotearoa
- What are the cancers
- WHY


Rangatahi diagnosis and Whānau

- Changes in relationships
- Disruption to important events
- Body image
- Post treatment



5 NORTH WELLINGTON HOSPITAL

- Recommendations
- Age appropriate services / referrals
- Small team Nurses and Healthcare assis






WHĀNAU AND FREINDS






ISOLATION



5 Signs and symptoms



References

- AYA Cancer Network Aotearoa. *Service Provision for Adolescent and Young Adult Cancer Patients in New Zealand including Standards of Care* (PROVISIONAL) 2016.
- Bleyer. 'CAUTION! Consider Cancer: Common Symptoms and Signs for Early Detection of Cancer in Young Adults'. *Seminars in Oncology*, Vol 36, no 3, June 2009, p 207-212.
- Palmer S, Thomas D. (2008) 'A Practice Framework for working with 15-25 year-old cancer patients treated within the adult health sector', OnTrac at Peter Mac. Victorian Adolescent and Young Adult Cancer Service.
- New Zealand Ministry of Youth Affairs. (2002). Youth Development Strategy Aotearoa: Action for child and youth development. Wellington, NZ.
- Finnigan, N. 'Maori cancer death rate rockets after childhood' (Nov, 2011) cited from URL: <http://www.newswire.co.nz/2011/11/maori-cancer-death-rate-rockets-after-childhood/> in July 2016